

VGA Extender

Receiver & Transmitter

- 180m / 550ft
- 330m / 1000ft

User's Manual

How it works

The VGA Extender unit allows you to extend the distance between the computer system unit and the display monitor by up to 330m. The receiver unit connects to your display - up to 330m away. One CAT-5 cable connects the sender and the receiver to each other, extending your video flawlessly.

Product Features

1. VGA, SVGA, & Multi-sync monitor support
2. Connect the transmitter and remote site via category 5e cable, length up to 180m/330m.
3. VGA resolution – 1000 ft (50MHz), 500 ft (125MHz).
4. Video Amplifier Bandwidth: 350 MHz
5. Support monitor DDC* function.

Technical Specifications

Model	Transmitter	Receiver
Connector Unit to Unit VGA-In VGA-Out	RJ-45 DB15P Male x1 Black DB15P Male x1 Blue	RJ-45 DB15P Male x1Black DB15P Male x1 Blue
LEDs	Power x 1 Link x 1	VGA in x 1 Link x 1 Video Select x 1
VGA Resolution	125MHz at 500ft / 50MHz at 1000ft	125MHz at 500ft / 50MHz at 1000ft
Cable Type	CAT 5	CAT 5
Power	AC 9V/ 4W	AC 9V/ 4W
Signal Type	VGA, SVGA, XGA, & MUlti-sync Monitor Support	VGA, SVGA, XGA, & MUlti-sync Monitor Support
Housing	Metal	Metal
Dimension (mm)	L132* W79* H32	L132* W79* H32